

BEST AVAILABLE COPY

WO 2004/092326


PCT/US2004/010599

1/7


Applicant: Purdue Research Foundation
Title: METHODS AND COMPOSITIONS TO
INCREASE PLANT RESISTANCE TO STRESS
Atty/Docket No. 3220-74797

Page 1 of 7

(A)



(B)



Cold (0°C, 24h) ABA (100 μ M, 3h) NaCl (300 mM, 5h)

FIG. 1




FIG. 2

Applicant: Purdue Research Foundation
 Title: METHODS AND COMPOSITIONS TO
 INCREASE PLANT RESISTANCE TO STRESS
 Atty/Docket No. 3220-74797

Page 3 of 7





FIG. 3

Applicant: Purdue Research Foundation
 Title: METHODS AND COMPOSITIONS TO
 INCREASE PLANT RESISTANCE TO STRESS
 Atty/Docket No. 3220-74797

Page 4 of 7



Applicant: Purdue Research Foundation
Title: *METHODS AND COMPOSITIONS TO
INCREASE PLANT RESISTANCE TO STRESS*
Atty/Docket No. 3220-74797

Page 5 of 7





FIG. 5

Applicant: Purdue Research Foundation
 Title: METHODS AND COMPOSITIONS TO
 INCREASE PLANT RESISTANCE TO STRESS
 Atty/Docket No. 3220-7497

Page 6 of 7

**FIG. 6**

Applicant: Purdue Research Foundation
 Title: *METHODS AND COMPOSITIONS TO
 INCREASE PLANT RESISTANCE TO STRESS*
 Atty/Docket No. 3220-74797

Page 2 of 7

(A)

MGRSPCCEKAHMNKGAWTKEEDQRIDLIDYRNHGEGSWRSLPKSVGLLRCGKSCRLLWINYLRPDLKRGNFDTDGE
 QIIVKLHSLFGNWKWSLIAGKLPGRRTDNEIKNYWNTHIKRKLLNRGIDPKTHGSIIEPKTTSFHPRNEDLKLSTFPGSVKLKM
 ETSCNCASCASTSGTTDEDLRLSVDCDYRDHLDEKLNLDTLGYSPTRFVGSCY
 (SEQ ID NO: 1)

(B)

1 atgggaagat caccatgttg tggaaaaggct cacatgaaca aaggaggcatg gactaaagaa
 61 gaagatcaac gtcttatgtt ttatatacgt aatcatggtg aaggcttcttg gctttctctt
 121 ccttaaatccg ttgggttgtt gcgttgttggaaaagggttggataaaggatg gattaattac
 181 cttcgtcctg atcttaaacg tggaaatttc actgtatggtg aagagcaat cattgtcaaa
 241 cttcatagtt tatttggcaa caaatggctt ttgatgtctg gggaaatttacc gggaaagaacc
 301 gataatgaga ttaaaattta ttggaaacact catataaaaa ggaaggcttctttaaccgtgg
 361 attgacccaa aaactcacgg ttgcgtatcatc gagccctaaaa cgacatgttttcatccccga
 421 aatgaagatt tgaagtccac gtttcccggt tctgttaaac taaagatggaa gactttttgt
 481 gaaaactgtg cttctacgag cggtaacgact acggacgagg atttacggtt aagtgttgat
 541 tgtgattaca gatatgtca tctggacaag gagctaaact tgacctaac actcgggtac
 601 agtcccgactc gatttgtcgg gggtcgatct tgttactag

(SEQ ID NO: 2)

FIG. 7

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.